

**REPUBLIC OF THE PHILIPPINES  
PROVINCE OF MISAMIS ORIENTAL  
MUNICIPALITY OF OPOL**



**BIDDING DOCUMENTS**

**Supply and Delivery of Sounds,  
Lights, Band Equipments and LED  
Wall for various events and  
activities at Opol, Misamis  
Oriental**

**OPOL 2025-018**

**Sixth Edition  
July 2020**

**Table of Contents**

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>3</b>
<b>Section I. Invitation to Bid.....</b>	<b>6</b>
<b>Section II. Instructions to Bidders.....</b>	<b>8</b>
1. Scope of Bid .....	8
2. Funding Information.....	8
3. Bidding Requirements .....	8
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	8
5. Eligible Bidders.....	9
6. Origin of Goods .....	9
7. Subcontracts .....	9
8. Pre-Bid Conference .....	9
9. Clarification and Amendment of Bidding Documents .....	9
10. Documents comprising the Bid: Eligibility and Technical Components .....	10
11. Documents comprising the Bid: Financial Component .....	10
12. Bid Prices .....	10
13. Bid and Payment Currencies .....	11
14. Bid Security .....	11
15. Sealing and Marking of Bids .....	11
16. Deadline for Submission of Bids .....	12
17. Opening and Preliminary Examination of Bids .....	12
18. Domestic Preference .....	12
19. Detailed Evaluation and Comparison of Bids .....	12
20. Post-Qualification .....	13
21. Signing of the Contract .....	13
<b>Section III. Bid Data Sheet .....</b>	<b>14</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>16</b>
1. Scope of Contract .....	16
2. Advance Payment and Terms of Payment .....	16
3. Performance Security .....	16
4. Inspection and Tests .....	16
5. Warranty .....	17
6. Liability of the Supplier .....	17
<b>Section V. Special Conditions of Contract .....</b>	<b>18</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>22</b>
<b>Section VII. Technical Specifications .....</b>	<b>27</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>32</b>

# *Glossary of Acronyms, Terms, and Abbreviations*

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – **Government** Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

# ***Section I. Invitation to Bid***



Republic of the Philippines  
Province of Misamis Oriental  
**MUNICIPALITY OF OPOL**

---

---

## **INVITATION TO BID FOR SUPPLY AND DELIVERY OF SOUNDS, LIGHTS, BAND EQUIPMENTS AND LED WALL FOR VARIOUS EVENTS AND ACTIVITIES AT OPOL, MISAMIS ORIENTAL**

1. The **Local Government Unit (LGU) of Opol, Misamis Oriental**, through the **FY 2025 Budget of the LGU-Opol (General Fund – Tourism Office Other Property Plant and Equipment)** intends to apply the sum of **One Million Four Hundred Eighty-Four Thousand Eighty-Five Pesos (Php 1,484,085.00)** being the ABC to payments under the **Supply and Delivery of Sounds, Lights, Band Equipments and LED Wall for various events and activities at Opol, Misamis Oriental / OPOL 2025-018**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The **LGU of Opol** now invites bids for the above Procurement Project. Delivery of the Goods is required **thirty (30) working days upon receipt of the Purchase Order (PO)**. Bidders should have completed, within **five (5) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from the **LGU of Opol** and inspect the Bidding Documents at the address given below during **office hours from 8:00 AM to 5:00 PM on working days**.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **September 22, 2025 to October 20, 2025** from the given address and website below **and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos**

**(Php 5,000.00) and a Special Permit fee in the amount of One Thousand Pesos (Php 1,000.00).** The Procuring Entity shall allow the bidder to present its proof of payment for the fees **in person**.

6. The **LGU of Opol** will hold a Pre-Bid Conference on **October 6, 2025 at 1:00 PM** at the **Bids and Awards Committee (BAC) Office**, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before **October 20, 2025 at 12:00 NN**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on **October 20, 2025 at 1:00 PM** at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. The **LGU of Opol** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

**EDGAR C. OLACO**  
**Bids and Awards Committee (BAC) Office**  
**Zone 3, Poblacion, Opol, Misamis Oriental 9016**  
**[lguopolbac.misor@gmail.com](mailto:lguopolbac.misor@gmail.com)**  
**0936-122-7460**  
**<https://opolmisor.gov.ph>**

12. You may visit the following website:

For downloading of Bidding Documents:  
**<https://opolmisor.gov.ph/announcements/bids-and-awards/>**

**September 22, 2025**

---

**(Sgd.) EDGAR C. OLACO, REA, REB, MPA**  
BAC Chairperson

## ***Section II. Instructions to Bidders***

### **1. Scope of Bid**

The Procuring Entity, **LGU of Opol** wishes to receive Bids for the **Supply and Delivery of Sounds, Lights, Band Equipments and LED Wall for various events and activities at Opol, Misamis Oriental**, with identification number **OPOL 2025-018**.

The Procurement Project (referred to herein as “Project”) is composed of **one (1) lot**, the details of which are described in Section VII (Technical Specifications).

### **2. Funding Information**

2.1. The GOP through the source of funding as indicated below for **FY 2025** in the amount of **One Million Four Hundred Eighty-Four Thousand Eighty-Five Pesos (Php 1,484,085.00)**.

2.2. The source of funding is:

**LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.**

### **3. Bidding Requirements**

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

### **4. Corrupt, Fraudulent, Collusive, and Coercive Practices**

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

**For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.**

- 5.3. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## 7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

Subcontracting is not allowed.

## 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and at its physical address as indicated in paragraph 6 of the **IB**.

## 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, at its given address indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## **10. Documents comprising the Bid: Eligibility and Technical Components**

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **five (5) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## **11. Documents comprising the Bid: Financial Component**

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## **12. Bid Prices**

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in the **BDS**.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in the **BDS**.

### **13. Bid and Payment Currencies**

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in:

Philippine Pesos.

### **14. Bid Security**

14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

14.2. The Bid and bid security shall be valid until **one hundred twenty (120) calendar days from the date of the opening of bids**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

### **15. Sealing and Marking of Bids**

Each Bidder shall submit one copy of the first and second components of its Bid. The Procuring Entity requests two (2) additional hard copies of the Bid, labeled as Copy 1 and Copy 2, in accordance with the instruction in the **BDS**. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

## 16. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and at its physical address as indicated in paragraph 7 of the **IB**.

## 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## 19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

19.2. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.3. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.4. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## *Section III. Bid Data Sheet*

<b>ITB Clause</b>	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ol style="list-style-type: none"> <li><b>a. Sounds, Lights, Band Equipments and LED Wall</b></li> <li>b. completed within <b>five (5) years</b> prior to the deadline for the submission and receipt of bids.</li> </ol>
7.1	<b>Subcontracting is not allowed.</b>
	<b>Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, at its given address indicated in the IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.</b>
12	<p>The price of the Goods shall be quoted DDP <b>Philippines</b> or the applicable International Commercial Terms (INCOTERMS) for this Project.</p> <p>The bidder should indicate the Brand being offered.</p>
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ol style="list-style-type: none"> <li>a. The amount of not less than <b>Php 29,681.7</b>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li><b>b. The amount of not less than <u>Php 74,204.25</u></b>, if bid security is in Surety Bond.</li> </ol>
15	<p>Bidder must arrange each bid documents into sections with tabs properly labeled separating each document according to the provided checklist.</p> <p>Bidders shall enclose their original eligibility and technical documents in one sealed envelope marked "ORIGINAL - TECHNICAL COMPONENT", and the original of their financial component in another sealed envelope marked "ORIGINAL - FINANCIAL COMPONENT", sealing them all in an outer envelope marked "ORIGINAL BID".</p> <p>Each copy of the first and second envelopes shall be similarly sealed duly marking the inner envelopes as "COPY NO. ___ - TECHNICAL COMPONENT" and "COPY NO. ___ - FINANCIAL COMPONENT" and the outer envelope as "COPY NO. ___", respectively. These envelopes containing the original and the two (2) copies shall then be enclosed in one single envelope. The original and the number of copies of the Bid shall be typed or written in ink and shall be signed by the Bidder or its duly authorized representative/s.</p>

	<p>All envelopes shall:</p> <ul style="list-style-type: none"> <li>(a) contain the name of the contract to be bid in capital letters;</li> <li>(b) bear the name and address of the Bidder in capital letters;</li> <li>(c) be addressed to the Procuring Entity’s BAC, as follows:  MR. EDGAR C. OLACO  BAC Chairman, LGU Opol  Bid and Awards Committee Office,  Opol Municipal Hall  Poblacion, Opol, Misamis Oriental</li> <li>(d) bear the specific identification of this bidding process; and</li> <li>(e) bear a warning “DO NOT OPEN BEFORE...” the date and time for the opening of bids.</li> </ul> <p>Unsealed or unmarked bid envelopes shall be rejected. However, bid envelopes that are not properly sealed and marked, as required in the Bidding Documents, shall be accepted, provided that the bidder or its duly authorized representative shall acknowledge such condition of the bid as submitted. The BAC shall assume no responsibility for the misplacement of the contents of the improperly sealed or marked bid, or for its premature opening.</p>
19.2	No further instructions.
20.1	<p>During Post-Qualification, bidders are also to present original copies of the following:</p> <ul style="list-style-type: none"> <li>(a) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;</li> <li>(b) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;</li> <li>(c) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR); and</li> <li>(d) Prospective bidder’s audited financial statements, showing, among others, the prospective bidder’s total and current assets and liabilities, stamped “received” by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission.</li> </ul>
21.2	No further instructions.

# ***Section IV. General Conditions of Contract***

## **1. Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## **2. Advance Payment and Terms of Payment**

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## **3. Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

## **4. Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## **5. Warranty**

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## *Section V. Special Conditions of Contract*

GCC Clause	
1	<p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>For Goods supplied from abroad</i>, the delivery terms applicable to the Contract are <b>DDP Philippines</b>. In accordance with INCOTERMS.</p> <p><i>For Goods supplied from within the Philippines</i>, the delivery terms applicable to this Contract are delivered to <b>Opol, Misamis Oriental</b>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <b>Ms. Rina A. Caliza</b></p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ol>
	<ol style="list-style-type: none"> <li>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> </ol>

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

**Spare Parts –**

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
2. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of **three times the warranty period**.

Spare parts or components shall be supplied as promptly as possible, but in any case, within **one (1) month** of placing the order.

**Packaging –**

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

	<p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity  Name of the Supplier  Contract Description  Final Destination  Gross weight  Any special lifting instructions  Any special handling instructions  Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p>

	<p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<p><i>Partial payment is not allowed.</i> The terms of payment shall be as follows: <b><u>Upon complete delivery.</u></b></p>
4	<p>The inspections and tests that will be conducted are: <b>Delivery Inspection to be conducted by the Inspectorate Team composed of the Municipal Inspector, General Services Office, end-user, and the Commission on Audit.</b></p>

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	Supply and Delivery of Sounds, Lights, Band Equipments and LED Wall for various events and activities at Opol, Misamis Oriental	One (1) Lot	<p><b>Supply and delivery of sounds, lights, band equipments and LEDWALL</b></p> <p><b>6 UNITS LINE ARRAY SPEAKERS</b>            *DUAL 12" NEODYNIUM MAGNET SPEAKER *2 PCS. NEODYNIUM MAGNET TWEETERS            *1400 WATTS *FREQUENCY RESPONSE: 8 OHMS            *FREQUENCY RESPONSE: 8 OHMS *MAX SPL: 141 DB            *SENSITIVITY 98 DB SPL 1W/1M *RATED POWER: 550W/1100/2200W            *RATED POWER: 550W/1100/2200W *BIRCH PLYWOOD</p> <p><b>4 UNITS 18" SUB WOOFER BOX ONLY</b>            •DESIGN: BATTLE/MCV DESIGN SUBWOOFER BOX            •WOOD TYPE: MARINE PLYWOOD WITH EPOXY            •WITH FEMALE SPEAK ON            •SIZE: 60CMX90CMX70CM            •WITH SPEAKER CORNER PROTECTOR</p> <p><b>1 UNIT 4 CHANNEL POWER AMPLIFIER</b>            •INPUT VOLTAGE: 220 VOLTS            •OUTPUT: 1200 WATTS PER CHANNEL            •PLUG TYPE: UNIVERSAL            •CONNECTIVITY: DESIGNED FOR AUDIO USE, INCLUDING HOME THEATER, PUBLIC ADDRESS, PUBLIC SPEAKING AND BIG CONCERT</p> <p><b>20 pcs. Speaker connector</b></p> <p><b>6 PIECES TWEETER VOICE COIL</b>            •51.5MM</p> <p><b>1 UNIT 24 CHANNEL AUDIO MIXER</b>            •ANALOG/DIGITAL MIXER            •Input channels: 24 Line Inputs (16 mono, 4 stereo), 16 Mic Inputs with 48V phantom power and HPH per channel. • Output channels: 1 ST out, 1 Mono out, 1 Monitor out, 6 AUX sends, 4 Group out, 1 Phones out, 2 Matrix out, 1 Stereo CH insert out, 16 Mono CH insert out. • Buses: 1 Stereo bus, 4 Group buses, 6 AUX Sends (AUX5 and AUX6 are switchable to FX1 and FX2).            • Robust, impact-resistant, powder-coated metal chassis. • Internal universal power supply for worry-free operation around the globe, even in unsteady voltage environment. • Discrete class A "D-PRE" mic preamps with an inverted darlington circuit. • "X-pressive EQ" based on VCM (Virtual Circuit Modeling) technology. • Professional "1-knob compressors" with LED indicators. • Dual digital effects processors: advanced "REV-X" reverb and 16 "SPX" effects • Stereo Hybrid Channel with DSP offers following unique functions: +“Priority Ducker”</p>	Thirty (30) days upon receipt of the Purchase Order (PO)

		<p>allows a microphone to take priority over another sound source automatically. +“Leveler” to adjust volume levels of different tracks automatically. +“Stereo Image “to optimize the pan balance to MONO/BLEND, useful for installed sound. • Digital connectivity for iPhone/iPod with a dedicated terminal. +“MGP Editor” App for detailed control of the console’s DSP settings with iPhone/iPod. +High quality digital playback from iPhone/iPod. • USB device recording and playback. (WAV/MP3) • DIGITAL STEREO Graphic EQ with selectable 9 flex-band or 14 fixed band mode. •DIGITAL Multi-band compressor.</p> <p>•INPUT CHANNELS LINE INPUT 24 (16 MONO + 4 STEREO)MIC INPUT 16/ MONO INPUT (MIC/LINE) 16 (CH1-16) /STEREO INPUT (LINE) 4 (CH17-24)/ MONO CH INSERT INPUT 16/ STEREO CH INSERT INPUT 2/ RETURN 1 STEREO/ 2TR IN - /TALKBACK IN 1 /OUTPUT CHANNELS STEREO OUT 1/ MONO OUT 1/ MONITOR OUT [L, R] 1 /AUX SEND 6 /GROUP OUT 4 /PHONES OUT 1 /MATRIX OUT 2/ STEREO CH INSERT OUT [L, R] 1/ MONO CH INSERT OUT 16 /REC OUT [L, R] - /BUS STEREO 1/ GROUP 4 /AUX-6 AUX Sends (AUX5 and AUX6 are switchable to FX1 and FX2)/ USB AUDIO - USB IN/OUT USB Device, iPod / iPhone PHANTOM POWER +48V per channel POWER REQUIREMENTS 100-240V 50Hz/60Hz POWER SUPPLY TYPE Internal Universal Power Supply POWER CONSUMPTION 86W max DIMENSIONS W x D x H 819mm x 565mm x 169mm (32.2" x 22.2" x 6.7") NET WEIGHT 15.5kg (34.2lbs) INCLUDED ACCESSORIES AC Power Code, Owner’s manual SOFTWARE APPLICATION.</p> <p><b>3 pcs. Dynamic wired mic</b></p> <p><b>2 UNITS WIRELESS MIC</b></p> <ul style="list-style-type: none"> <li>•CARRIER FREQUENCY: UHF640-690MHZ</li> <li>•DISTANCE:300M MAX W/ 4 ANTENNA DISTRIBUTOR</li> <li>•MODULATION METHOD: BROADBAND FM</li> <li>•CHANNEL 2* 200 CHANNEL</li> <li>•FREQUENCY RESPONSE: 100HZ-2KHZ</li> <li>•COLOR: BLACK</li> <li>•WITH FLIGHT CASE</li> <li>•ADJUSTABLE RANGE: 50MHZ</li> <li>•NUMBER OF CHANNELS: 2X100</li> <li>•CHANNEL INTERVAL: 250KHZ</li> <li>•DYNAMIC RANGE: 100DB</li> <li>•MAXIMUM FREQUENCY DEVIATION: +45KHZ</li> <li>•AUDIO RESPONSE: 80HZ-18KHZ(3DB)</li> <li>•COMPREHENSIVE SIGNAL-TO NOISE RATIO- &gt;105DB</li> <li>•COMPREHENSIVE DISTORTION: s0.5%</li> </ul> <p><b>1 unit Apex power box main line</b></p> <p><b>2 roll #14 royal cord speaker wire</b></p> <p><b>30 pairs XLR connector</b></p> <p><b>2 UNITS MONITOR SPEAKER</b></p> <ul style="list-style-type: none"> <li>•Key Features: Active Coaxial Monitor: A wedge-shaped speaker designed for both floor monitoring and use as a Front of House (FOH) speaker on a stand.</li> </ul>	
--	--	--	--

		<ul style="list-style-type: none"> <li>•Bi-Amplified Design: It uses a Class D amplifier for the 15" woofer and a Class AB amplifier for the compression driver, delivering a total of 350W RMS for efficient and balanced sound.</li> <li>•15" Woofer &amp; 1.35" Compression Driver: These components provide deep bass and clear, crystal-clear high frequencies, with a coaxial design ensuring excellent sound reproduction.</li> <li>•Durable Construction: Built with a rugged plywood cabinet and a steel grille to withstand the demands of live performances.</li> <li>•Versatile Mounting: Includes integrated side handles for easy transport and a standard 35mm pole mount for mounting on a speaker stand for FOH use. FOH/Monitor Switch: An integrated switch allows for quick conversion between monitoring and FOH application modes.</li> <li>•Specifications: Low-Frequency: 15" Woofer High-Frequency: 1.35" Compression Driver Amplification: Class D (Low-Freq) + Class AB (High-Freq) RMS Power: 350 Watts Housing: Plywood Weight: 23.24 kg</li> <li>•POWER CAPACITY: 350W-RMS 700W PEAK</li> </ul> <p><b>2 PIECES TWEETER DRIVER UNIT</b></p> <ul style="list-style-type: none"> <li>•51.MM VOICE COIL</li> <li>•118DB/SPL</li> <li>•8 OHM</li> <li>•550 WATTS POWER</li> <li>•THREAD TYPE</li> </ul> <p><b>1 UNIT 2 CHANNEL POWER AMP</b></p> <ul style="list-style-type: none"> <li>•Pros: High output (1500W x 2 @ 8Ω, 2300W x 2 @ 4Ω), massive toroidal transformer, robust protection features (Peak Limit, DC, overcurrent, short circuit), Class AB operation, and stereo/parallel/bridge modes.</li> <li>•Cons: Heavy at 35.5 kg, high power consumption (220V / 60Hz T25A fuse).</li> <li>•Key Specifications</li> </ul> <p>Power Output:</p> <ul style="list-style-type: none"> <li>•Stereo @ 8Ω: 2 x 1500W</li> <li>•Stereo @ 4Ω: 2 x 2300W</li> <li>•Stereo @ 2Ω: 2 x 3000W</li> <li>•Bridge Mono @ 8Ω: 4600W</li> <li>•Bridge Mono @ 4Ω: 6000W</li> <li>•Class: AB</li> <li>•Signal-to-Noise Ratio: 102-105 dB</li> <li>•Total Harmonic Distortion: ≤0.01% Rated Power @ 8Ω, 1kHz</li> <li>•Damping Factor: 680:1</li> <li>•Inputs: Balance XLR</li> <li>•Outputs: Speak on and Binding Post</li> <li>•Features: Stereo, parallel, and bridge mode selection, dual variable speed fans</li> </ul> <p><b>2 units 7 channel audio mixer</b></p> <p><b>1 SET 4 PIECES BATTERY WITH CHARGER</b></p> <ul style="list-style-type: none"> <li>•DOUBLE A</li> <li>•HEAVY DUTY</li> </ul> <p><b>1 unit crossover processor</b></p> <p><b>5 pcs. XLR male adopter to PL</b></p>	
--	--	---	--

		<p><b>5 pcs. XLR female adopter to PL</b></p> <p><b>1 pc. BABY AUDIO connector XLR</b></p> <p><b>1 pc. Baby audio connector PL</b></p> <p><b>1 pc. Wireless mic capsule</b></p> <p><b>1-unit 1024 lights controller</b> *MINI PEARL</p> <p><b>10 pcs. PAR LED with ring light</b></p> <p><b>3 pcs. Moving head bulb</b> *7r beam 230 bulb</p> <p><b>2-unit crank lights stand</b></p> <p><b>1 pc. Mic stand</b></p> <p><b>1 pc. Sheet stand</b></p> <p><b>1 PIECE DRUM SET</b></p> <ul style="list-style-type: none"> <li>•5 PIECES DRUM SHELLS</li> <li>•22X16 BASS DRUM</li> <li>•14X5.5 SNARE</li> <li>•10X8 TOM 1</li> <li>•12X9 TOM 2</li> <li>•16X16 FLOOR TOM</li> <li>•CRASH CYMBAL STAND</li> <li>•HI-HAT STAND</li> <li>•RIDE CYMBAL STAND</li> <li>•SNARE DRUM STAND</li> <li>•TWO RACK TOM HOLDER</li> <li>•KICK PEDAL</li> <li>•DRUM THRONE</li> <li>•WOOD TYPE: MAPLE</li> <li>•CYMBALS</li> <li>•COLOR: WINE RED</li> </ul> <p><b>1 SET CYMBALS</b></p> <ul style="list-style-type: none"> <li>•14 INCH HI-HAT</li> <li>•16 INCH CRASH</li> <li>•20 INCH RIDE</li> <li>•MATERIAL: BRASS</li> </ul> <p><b>1 UNIT GUITAR AMP</b></p> <ul style="list-style-type: none"> <li>•SPEKAERS: 2X12”</li> <li>•CHANNELS: TWO DISTINCT CHANNELS-LEAD AND RHYTHM</li> <li>•TONE CONTROL: BASS, MIDDLE AND TRIBLE EQ FOR TONAL ADJUSTMENTS</li> <li>•EFFECTS: BUILT-IN DIGITAL EFFECTS, INCLUDING REVERD, DELAY AND CHUROS</li> <li>•GAIN CONTROL: AVAILABLE ON THE LEAD CHANNEL FOR DISTORTION AND HEAVIER TONES</li> <li>•100 WATTS</li> </ul> <p><b>1 UNIT BASS GUITAR AMP</b></p> <ul style="list-style-type: none"> <li>•100 WATSS BASS COMBO</li> </ul>	
--	--	---	--

			<ul style="list-style-type: none"> <li>•SPEAKER: 1X15”</li> <li>•4 BAND EQ</li> <li>•BALANCED XLR LINE OUT</li> <li>•GROUND LIFT AND VOLUME CONTROL</li> <li>•EFFECTS LOOP WITH SEND AND RETURN JACKS</li> </ul> <p><b>1 UNIT KEYBOARD AMP</b></p> <ul style="list-style-type: none"> <li>•60 WATTS CLEAN POWER WITH 80 WATTS EXTENSION</li> <li>•12” SPEAKER WITH TWEETER</li> <li>•4 SEPARATE CHANNELS</li> <li>•2 BAND EQ ON EACH CHANNEL</li> <li>•MIC INPUT ON CHANNEL 1</li> <li>•BALANCED XLR MAIN OUT</li> <li>•EFFECT SEND/RETURN</li> </ul> <p><b>1 SET DRUM MIC KIT</b></p> <ul style="list-style-type: none"> <li>•1 MIC FOR BASS DRUM</li> <li>•1 MIC FOR SNARE DRUM</li> <li>•1 MIC FOR TOM 1</li> <li>•1 MIC FOR TOM 2</li> <li>•1 MIC FOR FLOOR TOM</li> <li>•1 CONDENSER MIC FOR HI-HATS</li> <li>•1 CONDENSER MIC FOR OVER HEAD</li> <li>•3 MICROPHONE CLIPS</li> <li>•4 DRUM CLIPS</li> </ul> <p><b>3 Roll mic cable</b></p> <p><b>1 set LEDWALL P3.91 (40 panels indoor)</b>  40 panels LED wall 3840 refresh rate  500mm x 500mm panel size  LVP 300 processor  Sending and receiving cards  Distribution and supply cables included  Supply cables, network cable included  1 year warranty on parts and service  Training will be conducted on delivery  Additional freight on branches may apply  Laptop core i7 15 inches</p>	
--	--	--	--	--

## *Section VII. Technical Specifications*

Item	Specification	Statement of Compliance		
1	<p><b>6 UNITS LINE ARRAY SPEAKERS</b></p> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> <ul style="list-style-type: none"> <li>*DUAL 12" NEODYNIUM MAGNET SPEAKER</li> <li>*1400 WATTS</li> <li>*FREQUENCY RESPONSE: 8 OHMS</li> <li>*SENSITIVITY 98 DB SPL 1W/1M</li> <li>*RATED POWER: 550W/1100/2200W</li> </ul> </td> <td style="width: 50%; vertical-align: top;"> <ul style="list-style-type: none"> <li>*2 PCS. NEODYNIUM MAGNET TWEETERS</li> <li>*FREQUENCY RESPONSE: 8 OHMS</li> <li>*MAX SPL: 141 DB</li> <li>*RATED POWER: 550W/1100/2200W</li> <li>*BIRCH PLYWOOD</li> </ul> </td> </tr> </table> <p><b>4 UNITS 18" SUB WOOFER BOX ONLY</b></p> <ul style="list-style-type: none"> <li>•DESIGN: BATTLE/MCV DESIGN SUBWOOFER BOX</li> <li>•WOOD TYPE: MARINE PLYWOOD WITH EPOXY</li> <li>•WITH FEMALE SPEAK ON</li> <li>•SIZE: 60CMX90CMX70CM</li> <li>•WITH SPEAKER CORNER PROTECTOR</li> </ul> <p><b>1 UNIT 4 CHANNEL POWER AMPLIFIER</b></p> <ul style="list-style-type: none"> <li>•INPUT VOLTAGE: 220 VOLTS</li> <li>•OUTPUT: 1200 WATTS PER CHANNEL</li> <li>•PLUG TYPE: UNIVERSAL</li> <li>•CONNECTIVITY: DESIGNED FOR AUDIO USE, INCLUDING HOME THEATER, PUBLIC ADDRESS, PUBLIC SPEAKING AND BIG CONCERT</li> </ul> <p><b>20 pcs. Speaker connector</b></p> <p><b>6 PIECES TWEETER VOICE COIL</b></p> <ul style="list-style-type: none"> <li>•51.5MM</li> </ul> <p><b>1 UNIT 24 CHANNEL AUDIO MIXER</b></p> <ul style="list-style-type: none"> <li>•ANALOG/DIGITAL MIXER</li> <li>•Input channels: 24 Line Inputs (16 mono, 4 stereo), 16 Mic Inputs with 48V phantom power and HPH per channel. • Output channels: 1 ST out, 1 Mono out, 1 Monitor out, 6 AUX sends, 4 Group out, 1 Phones out, 2 Matrix out, 1 Stereo CH insert out, 16 Mono CH insert out. • Buses: 1 Stereo bus, 4 Group buses, 6 AUX Sends (AUX5 and AUX6 are switchable to FX1 and FX2). • Robust, impact-resistant, powder-coated metal chassis. • Internal universal power supply for worry-free operation around the globe, even in unsteady voltage environment. • Discrete class A "D-PRE" mic preamps with an inverted darlington circuit. • "X-pressive EQ" based on VCM (Virtual Circuit Modeling) technology. • Professional "1-knob compressors" with LED indicators. • Dual digital effects processors: advanced "REV-X" reverb and 16 "SPX" effects • Stereo Hybrid Channel with DSP offers following unique functions: + "Priority Ducker" allows a microphone to take priority over another sound source automatically. + "Leveler" to adjust volume levels of different tracks</li> </ul>	<ul style="list-style-type: none"> <li>*DUAL 12" NEODYNIUM MAGNET SPEAKER</li> <li>*1400 WATTS</li> <li>*FREQUENCY RESPONSE: 8 OHMS</li> <li>*SENSITIVITY 98 DB SPL 1W/1M</li> <li>*RATED POWER: 550W/1100/2200W</li> </ul>	<ul style="list-style-type: none"> <li>*2 PCS. NEODYNIUM MAGNET TWEETERS</li> <li>*FREQUENCY RESPONSE: 8 OHMS</li> <li>*MAX SPL: 141 DB</li> <li>*RATED POWER: 550W/1100/2200W</li> <li>*BIRCH PLYWOOD</li> </ul>	
<ul style="list-style-type: none"> <li>*DUAL 12" NEODYNIUM MAGNET SPEAKER</li> <li>*1400 WATTS</li> <li>*FREQUENCY RESPONSE: 8 OHMS</li> <li>*SENSITIVITY 98 DB SPL 1W/1M</li> <li>*RATED POWER: 550W/1100/2200W</li> </ul>	<ul style="list-style-type: none"> <li>*2 PCS. NEODYNIUM MAGNET TWEETERS</li> <li>*FREQUENCY RESPONSE: 8 OHMS</li> <li>*MAX SPL: 141 DB</li> <li>*RATED POWER: 550W/1100/2200W</li> <li>*BIRCH PLYWOOD</li> </ul>			

automatically. +“Stereo Image “to optimize the pan balance to MONO/BLEND, useful for installed sound. • Digital connectivity for iPhone/iPod with a dedicated terminal. +“MGP Editor” App for detailed control of the console’s DSP settings with iPhone/iPod. +High quality digital playback from iPhone/iPod. • USB device recording and playback. (WAV/MP3) • DIGITAL STEREO Graphic EQ with selectable 9 flex-band or 14 fixed band mode. •DIGITAL Multi-band compressor.

•INPUT CHANNELS LINE INPUT 24 (16 MONO + 4 STEREO)MIC INPUT 16/ MONO INPUT (MIC/LINE) 16 (CH1-16) /STEREO INPUT (LINE) 4 (CH17-24)/ MONO CH INSERT INPUT 16/ STEREO CH INSERT INPUT 2/ RETURN 1 STEREO/ 2TR IN - /TALKBACK IN 1 /OUTPUT CHANNELS STEREO OUT 1/ MONO OUT 1/ MONITOR OUT [L, R] 1 /AUX SEND 6 /GROUP OUT 4 /PHONES OUT 1 /MATRIX OUT 2/ STEREO CH INSERT OUT [L, R] 1/ MONO CH INSERT OUT 16 /REC OUT [L, R] - /BUS STEREO 1/ GROUP 4 /AUX-6 AUX Sends (AUX5 and AUX6 are switchable to FX1 and FX2)/ USB AUDIO - USB IN/OUT USB Device, iPod / iPhone PHANTOM POWER +48V per channel POWER REQUIREMENTS 100-240V 50Hz/60Hz POWER SUPPLY TYPE Internal Universal Power Supply POWER CONSUMPTION 86W max DIMENSIONS W x D x H 819mm x 565mm x 169mm (32.2" x 22.2" x 6.7") NET WEIGHT 15.5kg (34.2lbs) INCLUDED ACCESSORIES AC Power Code, Owner’s manual SOFTWARE APPLICATION.

**3 pcs. Dynamic wired mic**

**2 UNITS WIRELESS MIC**

- CARRIER FREQUENCY: UHF640-690MHZ
- DISTANCE:300M MAX W/ 4 ANTENNA DISTRIBUTOR
- MODULATION METHOD: BROADBAND FM
- CHANNEL 2\* 200 CHANNEL
- FREQUENCY RESPONSE: 100HZ-2KHZ
- COLOR: BLACK
- WITH FLIGHT CASE
- ADJUSTABLE RANGE: 50MHZ
- NUMBER OF CHANNELS: 2X100
- CHANNEL INTERVAL: 250KHZ
- DYNAMIC RANGE: 100DB
- MAXIMUM FREQUENCY DEVIATION: +45KHZ
- AUDIO RESPONSE: 80HZ-18KHZ(3DB)
- COMPREHENSIVE SIGNAL-TO NOISE RATIO- >105DB
- COMPREHENSIVE DISTORTION: s0.5%

**1 unit Apex power box main line**

**2 roll #14 royal cord speaker wire**

**30 pairs XLR connector**

**2 UNITS MONITOR SPEAKER**

- Key Features: Active Coaxial Monitor: A wedge-shaped speaker designed for both floor monitoring and use as a Front of House (FOH) speaker on a stand.

- Bi-Amplified Design:** It uses a Class D amplifier for the 15" woofer and a Class AB amplifier for the compression driver, delivering a total of 350W RMS for efficient and balanced sound.
- 15" Woofer & 1.35" Compression Driver:** These components provide deep bass and clear, crystal-clear high frequencies, with a coaxial design ensuring excellent sound reproduction.
- Durable Construction:** Built with a rugged plywood cabinet and a steel grille to withstand the demands of live performances.
- Versatile Mounting:** Includes integrated side handles for easy transport and a standard 35mm pole mount for mounting on a speaker stand for FOH use. **FOH/Monitor Switch:** An integrated switch allows for quick conversion between monitoring and FOH application modes.
- Specifications:** Low-Frequency: 15" Woofer High-Frequency: 1.35" Compression Driver Amplification: Class D (Low-Freq) + Class AB (High-Freq) RMS Power: 350 Watts Housing: Plywood Weight: 23.24 kg
- POWER CAPACITY: 350W-RMS 700W PEAK**

**2 PIECES TWEETER DRIVER UNIT**

- 51.MM VOICE COIL
- 118DB/SPL
- 8 OHM
- 550 WATTS POWER
- THREAD TYPE

**1 UNIT 2 CHANNEL POWER AMP**

- Pros:** High output (1500W x 2 @ 8Ω, 2300W x 2 @ 4Ω), massive toroidal transformer, robust protection features (Peak Limit, DC, overcurrent, short circuit), Class AB operation, and stereo/parallel/bridge modes.
- Cons:** Heavy at 35.5 kg, high power consumption (220V / 60Hz T25A fuse).
- Key Specifications**
- Power Output:
  - Stereo @ 8Ω: 2 x 1500W
  - Stereo @ 4Ω: 2 x 2300W
  - Stereo @ 2Ω: 2 x 3000W
  - Bridge Mono @ 8Ω: 4600W
  - Bridge Mono @ 4Ω: 6000W
  - Class: AB
  - Signal-to-Noise Ratio: 102-105 dB
  - Total Harmonic Distortion: ≤0.01% Rated Power @ 8Ω, 1kHz
  - Damping Factor: 680:1
  - Inputs: Balance XLR
  - Outputs: Speak on and Binding Post
  - Features: Stereo, parallel, and bridge mode selection, dual variable speed fans

**2 units 7 channel audio mixer**

**1 SET 4 PIECES BATTERY WITH CHARGER**

- DOUBLE A
- HEAVY DUTY

**1 unit crossover processor**

**5 pcs. XLR male adopter to PL**

	<p><b>5 pcs. XLR female adopter to PL</b></p> <p><b>1 pc. BABY AUDIO connector XLR</b></p> <p><b>1 pc. Baby audio connector PL</b></p> <p><b>1 pc. Wireless mic capsule</b></p> <p><b>1-unit 1024 lights controller</b> *MINI PEARL</p> <p><b>10 pcs. PAR LED with ring light</b></p> <p><b>3 pcs. Moving head bulb</b> *7r beam 230 bulb</p> <p><b>2-unit crank lights stand</b></p> <p><b>1 pc. Mic stand</b></p> <p><b>1 pc. Sheet stand</b></p> <p><b>1 PIECE DRUM SET</b></p> <ul style="list-style-type: none"> <li>•5 PIECES DRUM SHELLS</li> <li>•22X16 BASS DRUM</li> <li>•14X5.5 SNARE</li> <li>•10X8 TOM 1</li> <li>•12X9 TOM 2</li> <li>•16X16 FLOOR TOM</li> <li>•CRASH CYMBAL STAND</li> <li>•HI-HAT STAND</li> <li>•RIDE CYMBAL STAND</li> <li>•SNARE DRUM STAND</li> <li>•TWO RACK TOM HOLDER</li> <li>•KICK PEDAL</li> <li>•DRUM THRONE</li> <li>•WOOD TYPE: MAPLE</li> <li>•CYMBALS</li> <li>•COLOR: WINE RED</li> </ul> <p><b>1 SET CYMBALS</b></p> <ul style="list-style-type: none"> <li>•14 INCH HI-HAT</li> <li>•16 INCH CRASH</li> <li>•20 INCH RIDE</li> <li>•MATERIAL: BRASS</li> </ul> <p><b>1 UNIT GUITAR AMP</b></p> <ul style="list-style-type: none"> <li>•SPEKAERS: 2X12”</li> <li>•CHANNELS: TWO DISTINCT CHANNELS-LEAD AND RHYTHM</li> <li>•TONE CONTROL: BASS, MIDDLE AND TRIBLE EQ FOR TONAL ADJUSTMENTS</li> <li>•EFFECTS: BUILT-IN DIGITAL EFFECTS, INCLUDING REVERD, DELAY AND CHUROS</li> </ul>	
--	---	--

	<ul style="list-style-type: none"> <li>•GAIN CONTROL: AVAILABLE ON THE LEAD CHANNEL FOR DISTORTION AND HEAVIER TONES</li> <li>•100 WATTS</li> </ul> <p><b>1 UNIT BASS GUITAR AMP</b></p> <ul style="list-style-type: none"> <li>•100 WATSS BASS COMBO</li> <li>•SPEAKER: 1X15”</li> <li>•4 BAND EQ</li> <li>•BALANCED XLR LINE OUT</li> <li>•GROUND LIFT AND VOLUME CONTROL</li> <li>•EFFECTS LOOP WITH SEND AND RETURN JACKS</li> </ul> <p><b>1 UNIT KEYBOARD AMP</b></p> <ul style="list-style-type: none"> <li>•60 WATTS CLEAN POWER WITH 80 WATTS EXTENSION</li> <li>•12” SPEAKER WITH TWEETER</li> <li>•4 SEPARATE CHANNELS</li> <li>•2 BAND EQ ON EACH CHANNEL</li> <li>•MIC INPUT ON CHANNEL 1</li> <li>•BALANCED XLR MAIN OUT</li> <li>•EFFECT SEND/RETURN</li> </ul> <p><b>1 SET DRUM MIC KIT</b></p> <ul style="list-style-type: none"> <li>•1 MIC FOR BASS DRUM</li> <li>•1 MIC FOR SNARE DRUM</li> <li>•1 MIC FOR TOM 1</li> <li>•1 MIC FOR TOM 2</li> <li>•1 MIC FOR FLOOR TOM</li> <li>•1 CONDENSER MIC FOR HI-HATS</li> <li>•1 CONDENSER MIC FOR OVER HEAD</li> <li>•3 MICROPHONE CLIPS</li> <li>•4 DRUM CLIPS</li> </ul> <p><b>3 Roll mic cable</b></p> <p><b>1 set LEDWALL P3.91 (40 panels indoor)</b>  40 panels LED wall 3840 refresh rate  500mm x 500mm panel size  LVP 300 processor  Sending and receiving cards  Distribution and supply cables included  Supply cables, network cable included  1 year warranty on parts and service  Training will be conducted on delivery  Additional freight on branches may apply  Laptop core i7 15 inches</p>	
--	--	--

# ***Section VIII. Checklist of Technical and Financial Documents***

## **I. TECHNICAL COMPONENT ENVELOPE**

### ***Class “A” Documents***

#### **Legal Documents**

- (a) Special Power of Attorney (SPA), if the prospective bidder is represented by a duly authorized representative;
- and**
- (b) Valid and updated PhilGEPS Registration Certificate (Platinum Membership) (all pages including Annex A) in accordance with Section 8.5.2 of the Revised IRR as amended by GPPB Resolution No. 15-2021;

**and**

#### **Technical Documents**

- (c) Statement of the bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid. And shall be supported by documents such as Notice of Award and/or Contract Agreement and/or Notice to Proceed issued for the contract;
- and**
- (d) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents;
- and**
- (e) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration;
- and**
- (f) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable;
- and**
- (g) Original duly signed Omnibus Sworn Statement (OSS);  
**and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### **Financial Documents**

- (h) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC);
- or**
- A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

***Class “B” Documents***

- (i) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

**or**

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

**II. FINANCIAL COMPONENT ENVELOPE**

- (j) Original of duly signed and accomplished Financial Bid Form;

**and**

- (k) Original of duly signed and accomplished Price Schedule(s).

*Other documentary requirements under RA No. 9184 (as applicable)*

- (l) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product;

**and**

- (m) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

